

LUCIDE

GENERAL SPECIFICATIONS



RECOMMENDED LUCIDE LIGHT SOURCE

49006/05/30

Light source dimmable : Yes

Light source incl. : No

General

Dimensions LxWxH : 12.3 cm x 12.3 cm x 80 cm

Height minimum : 80 cm

Height maximum : 80 cm

Dimensions shade LxWxH : \varnothing 10.7 cm x 10 cm

Main material : Aluminium

Ceiling rose material : Aluminium

Color : Black

Style : Modern

Shape : Round

Weight : 1.1kg

Warranty : 2 years

Product specifications

Dimmable : Yes

Light direction : Uplight

Adjustable in height : No

Directional : Directional

Cable : No

Cable length : No

Sensor : Without sensor

Control : Light Switch Control

IP-Class : 54

Electric class : 1


Light source including : Yes

Lamp socket : GU10

Light source number : 1

Power requirements : 220-240V~50Hz

Bulb type & maximum wattage : GU10 LED 5W



IP44

IP54

IP65

IP67

Explanation of IP numbers for degrees of protection, see safety instruction manual in the box.

For more specifications of this product please visit

www.lucide.com


LUCIDE

TECHNICAL DRAWING&DIMENSIONS

NINKE-LED

Item number : 14892/80/30

EAN code : 5411212144171




For more specifications, dimensions please visit

www.lucide.com

LUCIDE

INSTALLATION DRAWING SPECIFICATIONS



Dit product bevat een lichtbron van energie-efficiëntieklasse A+
 Ce produit contient une source lumineuse de classe énergétique A+
 This product contains a light source of energy efficiency class A+
 Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse A+
 Ten produkt zawiera ród o wiat a o klasie efektywno ci energetycznej A+